

Personal Data

Name: Riichiro Saito
Date of Birth: March 13th, 1958
Nationality: Japan

Present Address: Department of Physics,
Tohoku University
Aramaki, Aoba, Sendai 980-8578, Japan

Position: Professor
Phone: 81-22-217-7754
Fax: 81-22-217-6447
e-mail: rsaito@flex.phys.tohoku.ac.jp
WWW : <http://flex.phys.tohoku.ac.jp>

Career: The University of Tokyo,
Department of Physics, Faculty of Science
(Undergraduate) 1976.4-1980.3
(Graduate Course) 1980.4-1985.3
(Research Associate) 1985.4-1990.3

The University of Electro-Communications
Department of Electronics Engineering
(Associate Professor) 1990.4-2003.2
Tohoku University, Department of Physics
(Professor) 2003.3-

The University of Tokyo,
Meson Science Laboratory, Faculty of Science
(Visiting Associate Professor) 1989.8-1991.9

Massachusetts Institute of Technology,
Department of Physics,
(Visiting Scientist) 1991.10-1992.7

The University of Tokyo,
Department of Physics, Faculty of Science
(Visiting Associate Professor) 1994.7-1995.3

The University of Tokyo,
Institute of Solid State Physics,
(Visiting Associate Professor) 1997.10-1998.3

I Books (in English only)

1. Orbital susceptibility of graphite intercalation compounds, in “Graphite Intercalation Compounds”: R. Saito, T. Ohno and H. Kamimura, eds. S. Tanuma and H. Kamimura, World Scientific Publishing Co., Singapore, pp. 147-156 (1985).
2. Spin-polaron pairing mechanism in the high T_c copper oxides, in “Mechanisms of High Temperature Superconductivity”: H. Kamimura, S. Matsuno, and R. Saito, eds. H. Kamimura and A. Oshiyama, Springer Series in Material Science 11, Springer-Verlag, Heidelberg, pp. 8-19 (1989).
3. C_{60} -related balls and Fibers, in “Elementary Excitations in Solids”: M. S. Dresselhaus, G. Dresselhaus, R. Saito, and P. C. Eklund, eds. J. L. Birman and C. Sébenne and R. F. Wallis, Elsevier Science Publishers, B.V., pp. 387-417 (1992).
4. Superconducting properties of fullerenes, in “Physical Properties of High Temperature Superconductors IV”: M. S. Dresselhaus, G. Dresselhaus, and R. Saito, ed. D. M. Ginsberg, World Scientific Publishing Co., Singapore, pp. 471-564 (1994).
5. Introduction to carbon materials, in “Carbon Nanotubes”: M. S. Dresselhaus, G. Dresselhaus, P. C. Eklund, R. Saito, and M. Endo, ed. T. Ebbesen, CRC Press, Inc., Florida, USA, Chapter I, pp. 1-33 (1996).
6. From carbon fibers to nanotube, in “Carbon Nanotubes”: M. Endo, R. Saito, M. S. Dresselhaus, and G. Dresselhaus, ed. T. Ebbesen, CRC Press, Inc., Florida, USA, Chapter II, pp. 35-110 (1996).
7. Nanostructure in “The 1998 McGraw-Hill Yearbook of Science & Technology” : M. S. Dresselhaus, R. Saito, ed. S. P. Parker, McGraw-Hill Book. Co., pp. 263-265 (1997).
8. “Physical Properties of Carbon Nanotubes”: R. Saito, M. S. Dresselhaus, and G. Dresselhaus, Imperial College Press, UK, pp. 1-258 (1998).
9. Phonon Structure and Raman Effect of Single-Wall Carbon Nanotubes in “Science and Technology of Carbon Nanotube”: R. Saito, G. Dresselhaus, and M. S. Dresselhaus, eds. K. Tanaka, T. Yamabe, and K. Fukui, Elsevier Science Ltd, Oxford, UK , Chapter 6, pp. 51-62 (1999).
10. Electrons and Phonons in Fullerenes and Carbon Nanotubes in “Optical and Electronic Properties of Fullerenes and Fullerene-Based Materials”: M. S. Dresselhaus, G. Dresselhaus, P. C. Eklund and R. Saito, eds. J. Shinar, Z. V. Vardeny and Z. H. Kafafi, Marcel Dekker, Inc, New York, chapter 8, pp. 217-260 (2000).
11. On the $\pi - \pi$ overlap energy in carbon nanotubes in “Science and Applications of Nanotubes”: G. Dresselhaus, M. A. Pimenta, R. Saito, J.-C. Charlier, S. D. M. Brown, P. Corio, A. Marucci,

and M. S. Dresselhaus, eds. D. Tománek and R. J. Enbody, Kluwer Academic, New York, pp. 275–295 (2000).

12. “Electronic Band Structure of Graphites” in “Graphite and Precursors”: M. S. Dresselhaus, G. Dresselhaus, and R. Saito, ed. Pierre Delhaès, Gordon and Breach, Paris, France, Vol. 1, pp.25-43 (2000).
13. Optical Properties and Raman Spectroscopy of Carbon Nanotubes in “Carbon Nanotubes”, Springer Series in Materials Science: R. Saito and H. Kataura, eds. M. S. Dresselhaus and G. Dresselhaus and Ph. Avouris, Springer-Verlag, Berlin, pp. 213–246 (2001).
14. Hybrid Orbital Control in Carbon Alloys in “Carbon Alloys”: R. Saito, eds. E. Yasuda, M. Inagaki, K. Kaneko, M. Endo, A. Oya, Y. Tanabe, Elsevier Science, Oxford, pp. 15-40 (2003).
15. Carbon Nanotubes: Optical Properties: R. Saito, M. S. Dresselhaus, G. Dresselhaus, A. Jorio, A. G. Souza Filho, M. A. Pimenta, Encyclopedia of Nanoscience and Nanotechnology, Marcel Dekker, New York, Eds. J. A. Schwarz, C. L. Contescu, K. Putyera, pp.575-586 (2004).
16. Raman Spectroscopy of Carbon Nanotubes: M. S. Dresselhaus, G. Dresselhaus, A. Jorio, R. Saito, Contemporary Concepts of Condensed Matter Science, 2006, Elsevier, Netherlands, in press ().

II Papers

1. Vibronic states of polyacetylene, $(\text{CH})_x$: R. Saito, and H. Kamimura, J. Phys. Soc. Japan, **52**, 407-416 (1983).
2. Orbital susceptibility of higher stage GICs: R. Saito and H. Kamimura, Synthetic Metals, **12**, 295-300 (1985).
3. Orbital susceptibility of higher stage graphite intercalation compounds: R. Saito and H. Kamimura, Phys. Rev. B, **33**, 7218-7227 (1986).
4. Vibronic states of bond alternation defect in polyacetylene and ESR spectrum: R. Saito and H. Kamimura, Synthetic Metals, **17**, 81-86 (1987).
5. Nuclear magnetic resonance in higher stage graphite intercalation compounds: R. Saito, M. Tsukada, K. Kobayashi, and H. Kamimura, Phys. Rev. B, **35**, 2963-2971 (1987).
6. LSD calculation of electronic structure of high T_c superconductor: La-Sr-Cu-O systems: K. Shiraishi, A. Oshiyama, N. Shima, T. Nakayama, R. Saito and H. Kamimura, Jpn. J. Appl. Phys., **26 Supplement 26-3**, 983-984 (1987).
7. A universal distribution function of relaxation in amorphous materials: R. Saito and K. Murayama, Solid State Commun. , **63**, 625-627 (1987).

8. Theory of nuclear magnetic resonance in graphite and graphite intercalation compounds: R. Saito, K. Kobayashi, M. Tsukada and H. Kamimura, Synthetic Metals, **23**, 265-270 (1988).
9. Positron annihilation in graphite and graphite intercalation compounds: R. Saito, N. Shima and H. Kamimura, Synthetic Metals, **23**, 217-222 (1988).
10. Spin-polaron pairing and high-temperature superconductivity: H. Kamimura, S. Matsuno, and R. Saito, Solid State Commun., **67**, 363-367 (1988).
11. Electronic structures of unoccupied bands in graphite: C. Fretigny, R. Saito, and H. Kamimura, J. Phys. Soc. Japan, **58**, 2098-2108 (1989).
12. Cluster simulation of correlation effect in hole-doped high-temperature superconductors: M. Eto, R. Saito, and H. Kamimura, Solid State Commun, **71**, 425-429 (1989).
13. Possible permutation symmetry in two dimensional Heisenberg model: R. Saito, Solid State Commun. , **72**, 517-521 (1989).
14. A proof of the completeness of the non crossed diagrams in spin 1/2 Heisenbergmodel: R. Saito, J. Phys. Soc. Japan., **59**, 482-491 (1990).
15. Electronic structures of Nd₂CuO₄ and its electron-doped cluster systems: M. Eto, R. Saito, H. Kamimura, Material Science and Engineering B, **6**, L1-L4 (1990).
16. Symmetry studies of antiferromagnetic Heisenberg model: T. Ishino, R. Saito, H. Kamimura, J. Phys. Soc. Japan, **59**, 3886-3897 (1990).
17. Characteristics of the electroluminescence and photoluminescence emissions of erbium ions doped in InP and energy transfer mechanism: H. Isshiki. R. Saito, T. Kimura and T. Ikoma, J. Appl. Phys., **70**, 6993-6998 (1991).
18. A complete set of spin 1/2 functions by Young's diagrams: R. Saito, and K. Kusakabe, J. Phys. Soc. Japan, **60**, 2388-2393 (1991).
19. Theory of positive muon spin rotation in La₂CuO₄: R. Saito, H. Kamimura and K. Nagamine, Physica C, **185-189**, 1217-1218 (1991).
20. Cluster calculation of rare-earth ions in semiconductors: R. Saito, and T. Kimura, Phys. Rev. B, **46**, 1423-1428 (1992).
21. Carbon fibers based on C₆₀ and their symmetry: M. S. Dresselhaus, G. Dresselhaus, and R. Saito, Phys. Rev. B, **45**, 6234-6242 (1992).
22. Electronic structures of carbon fibers based on C₆₀: R. Saito, M. Fukjita, G. Dresselhaus, and M. S. Dresselhaus, Phys. Rev. B, **46**, 1804-1811 (1992).
23. Electronic structure of chiral graphene tubules: R. Saito, M. Fujita, G. Dresselhaus, and M. S. Dresselhaus, Appl. Phys. Lett., **60**, 2204-2206 (1992).

24. Formation of general Fullerenes by their projection on a honeycomb lattice: M. Fujita, R. Saito, G. Dresselhaus and M. S. Dresselhaus, Phys. Rev. B, **45**, 13834-13836 (1992).
25. Topological defects in large fullerenes: R. Saito, G. Dresselhaus, and M. S. Dresselhaus, Chem. Phys. Lett., **195**, 537-542 (1992).
26. C₆₀-related tubules: M. S. Dresselhaus, G. Dresselhaus, and R. Saito, Solid State Commun., **84**, 201-204 (1992).
27. Ground states of large icosahedral fullerenes: R. Saito, G. Dresselhaus and M. S. Dresselhaus, Phys. Rev. B, **46**, 9906-9909 (1992).
28. Electronic structure of double-layered graphene tubules: R. Saito, G. Dresselhaus and M. S. Dresselhaus, J. Appl. Phys., **73**, 494-500 (1993).
29. Multiplet structures of C₆₀ ions: R. Saito, G. Dresselhaus, and M. S. Dresselhaus, Chem. Phys. Lett., **210**, 159-164 (1993).
30. Ab initio calculations of the multiplets terms of Tm³⁺: S. Itoh, R. Saito, T. Kimura, and S. Yabushita, J. Phys. Soc. Jpn., **62**, 2924-2933 (1993).
31. Electronic structure and growth mechanism of carbon tubules: R. Saito, M. Fujita, G. Dresselhaus, and M. S. Dresselhaus, Material Science and Engineering B, **19**, 185-191 (1993).
32. Group theoretical concept for C₆₀ and other fullerenes: M.S. Dresselhaus, G. Dresselhaus and R. Saito, Material Science and Engineering B, **19**, 122-128 (1993).
33. Electrical and optical characterization of defect levels caused in InGaAs by boron ion implantation: S. Yamamura, T. Kimura, S. Yugo, R. Saito, M. Murata, T. Kamiya, Nuclear Instrument and Methods in Physics Research B, **80/81**, 632-635 (1993).
34. Relativistic effect on multiplet terms of rare earth ions: S. Itoh, R. Saito, T. Kimura, and S. Yabushita, J. Phys. Soc. Jpn., **63**, 807-813 (1994).
35. Thermodynamic model of ordering transition in solid C₆₀: R. Saito, G. Dresselhaus, and M. S. Dresselhaus, Phys. Rev B, **49**, 2143-2147 (1994).
36. Group theoretical concepts for carbon nanotubes: M. S. Dresselhaus, R. A. Jishi, G. Dresselhaus, D. Inomata, K. Nakao and R. Saito, Molecular Materials, , 27-40 (1994).
37. Application of molecular concepts to the vibrational spectroscopy of solid C₆₀: P. C. Eklund M. S. Dresselhaus, G. Dresselhaus, and R. Saito, Molecular Materials, , 177-183 (1994).
38. Time-resolved study on the impact excitation and quenching processes of the 1.54 μ m electroluminescence emission of Er ions in InP: T. Kimura, H. Isshiki, H. Ishida, S. Yugo, R. Saito, and T. Ikoma, J. Appl. Phys., **76**, 3714-3719 (1994).
39. Electrochemical Er doping of porous silicon and its room-temperature luminescence at \sim 1.54 μ m: T. Kimura, A. Yokoi, H. Horiguchi, R. Saito, T. Ikoma and A. Sato, Appl. Phys. Lett., **65**, 983-985 (1994).

40. Hindered rotation of solid $^{12}\text{C}_{60}$ and $^{13}\text{C}_{60}$: R. Saito, G. Dresselhaus, and M. S. Dresselhaus, Phys. Rev B, **50**, 5680-5688 (1994).
41. Infrared-active modes of C_{70} : Y. Shinohara, R. Saito, T. Kimura, G. Dresselhaus, and M. S. Dresselhaus, Chem. Phys. Lett., **227**, 365-370 (1994).
42. Magnetic energy bands of carbon nanotubes: R. Saito, G. Dresselhaus, and M. S. Dresselhaus, Phys. Rev B, **50**, 14698-14701 [Erratum B 53 10408 (1996)] (1994).
43. Physics of Carbon nanotubes: M. S. Dresselhaus, G. Dresselhaus, and R. Saito, Carbon, **33**, 883-891 (1995).
44. Photoluminescence of ytterbium doped porous silicon: T. Kimura, A. Yokoi, Y. Nishida, R. Saito, S. Yugo and T. Ikoma, Appl. Phys. Lett., **67**, 2687-2689 (1995).
45. Tunneling conductance of connected carbon nanotubes: R. Saito, G. Dresselhaus, and M. S. Dresselhaus, Phys. Rev B, **53**, 2044-2050 (1996).
46. Multiplet Structure calculation for Rare Earth Ions: S. Ito, N. Nameda and R. Saito, J. Light and Visual Environment, **20**, 15-19 (1996).
47. Excess Li Ions in a Small Graphite Cluster: M. Nakadaira, R. Saito, T. Kimura, G. Dresselhaus, and M. S. Dresselhaus, J. Mater. Res., **12**, 1367-1375 (1997).
48. Mechanism for Implantation Induced Interdiffusion at $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{In}_{0.52}\text{Al}_{0.48}\text{As}$ Heterointerfaces: T. Kimura, M. Saito, S. Tachi, R. Saito, M. Murata, and T. Kamiya, Mat. Sci. Eng., B, **44**, 28-32 (1997).
49. Raman Intensity of Single-Wall Carbon Nanotubes: R. Saito, T. Takeya, T. Kimura, G. Dresselhaus, M. S. Dresselhaus, Phys. Rev. B, **57**, 4145-4153 (1998).
50. Carbon Nanotubes: M. S. Dresselhaus, G. Dresselhaus, P. C. Eklund, and R. Saito, Physics World, **11**, 33-38 (1998).
51. Enhanced Yb^{3+} -related $0.98\mu\text{m}$ emission in porous silicon and its time decay characteristics: T. Kimura, Y. Nishida, A. Yokoi, and R. Saito, J. Appl. Phys., **83**, 1005-1008 (1998).
52. Berry's Phase and Absence of Back Scattering in Carbon Nanotubes: T. Ando, T. Nakanishi, and R. Saito, J. Phys. Soc. Japan, **67**, 2857-2862 (1998).
53. Effects of hydrogen plasma treatment on the $1.54\mu\text{m}$ luminescence of erbium-doped porous silicon: T. Dejima, R. Saito, S. Yugo, H. Isshiki, and T. Kimura, J. Appl. Phys., **84**, 1036-1040 (1998).
54. Finite Size Effect on the Raman Spectra of Carbon Nanotubes: R. Saito, T. Takeya, T. Kimura, G. Dresselhaus and M. S. Dresselhaus, Phys. Rev. B, **59**, 2388-2392 (1999).
55. Effects of magnetic field and disorder on electronic properties of carbon nanotubes: S. Roche and R. Saito, Phys. Rev. B, **59**, 5242-5246 (1999).

56. Energy transfer efficiency of the $1.54\mu\text{m}$ luminescence of Er-implanted silicon in relation to post-implantation annealing and impurity coimplantation: T. Kimura, T. Nakanose, W. Wang, H. Isshiki, and R. Saito, Nuclear Instrument and Methods in Physics Research B, **148**, 486-491 (1999).
57. Electronic Structure of Fluorine Doped Graphite Nanoclusters: R. Saito, M. Yagi, T. Kimura, G. Dresselhaus and M. S. Dresselhaus, J. Phys. Chem. Solid, **60**, 715-721 (1999).
58. Conductance Quantization in Carbon Nanotubes: Neutrons on Cylinder Surface: T. Ando, T. Nakanishi, and R. Saito, Microelectronic Engineering, **47**, 421-423 (1999).
59. Electronic States in Heavily Li-doped Graphite Nanoclusters: M. Yagi, R. Saito, T. Kimura, G. Dresselhaus and M. S. Dresselhaus, J. Mater. Res., **14**, 3799-3804 (1999).
60. Auger de-excitation of the 1.54μ emission of Er- and O- implanted silicon: T. Nakanose, T. Kimura, H. Isshiki, S. Yugo and R. Saito, Nuclear Instrument and Methods in Physics Research B, **161-163**, 1080-1084 (1999).
61. Trigonal warping effect of carbon nanotubes: R. Saito, G. Dresselhaus and M. S. Dresselhaus, Phys. Rev. B, **61**, 2981-2990 (2000).
62. Polarized Raman Study of Aligned Multiwalled Carbon Nanotubes: A. M. Rao, A. Jorio, M. A. Pimenta, M. S. S. Dantas, R. Saito, G. Dresselhaus and M. S. Dresselhaus, Phys. Rev. Lett., **84**, 1820-1823 (2000).
63. Chemical Reaction of Intercalated Atoms at the Edge of Nano-Graphene Cluster: R. Saito, M. Yagi, T. Kimura, G. Dresselhaus and M. S. Dresselhaus, Liquid Crystal and Molecular Crystals, **340**, 71-76 (2000).
64. Site of the Er^{3+} optical centers of the $1.54\mu\text{m}$ room-temperature emission in Er-doped porous silicon and the excitation mechanism: W. Wang, H. Isshiki, S. Yugo, R. Saito, and T. Kimura, Journal of Luminescence, **87-89**, 319-322 (2000).
65. Polarized Raman study of Single-Wall Semiconducting Carbon Nanotubes: A. Jorio, G. Dresselhaus, M. S. Dresselhaus, M. Souza, M. S. S. Dantas, M. A. Pimenta, A. M. Rao, R. Saito, C. Liu and H. M. Cheng, Phys. Rev. Lett., **85**, 2617-2620 (2000).
66. Aharonov-Bohm spectral features and coherence lengths in carbon nanotubes: S. Roche, G. Dresselhaus, M. S. Dresselhaus, and R. Saito, Phys. Rev. B, **62**, 16092-16099 (2000).
67. Polarization effects in surface-enhanced Raman scattering of single-wall carbon nanotubes on colloidal silver clusters: K. Kneipp, A. Jorio, H. Kneipp, S. D. M. Brown, K. Shafer, J. Motz, R. Saito, G. Dresselhaus, and M. S. Dresselhaus, Phys. Rev. B, **63**, 081401-1-4 (2000).
68. Structural (n, m) determination of isolated single wall carbon nanotubes by resonant Raman scattering : A. Jorio, R. Saito, J. Hafner, C. M. Lieber, G. Dresselhaus, and M. S. Dresselhaus, Phys. Rev. Lett., **86**, 1118-1121 (2001).

69. Origin of the Breit-Wigner-Fano lineshape of the tangential G-band feature of metallic carbon nanotubes: S. D. M. Brown, A. Jorio, P. Corio, M. S. Dresselhaus, G. Dresselhaus, R. Saito, K. Kneipp, *Phys. Rev. B*, **63**, 155414-1-8 (2001).
70. Diameter dependence of the Raman D-band in isolated single-wall carbon nanotubes: M. A. Pimenta, A. Jorio, S. D. M. Brown, A. G. Souza Filho, G. Dresselhaus, J. H. Hafner, C. M. Lieber, R. Saito, and M. S. Dresselhaus, *Phys. Rev. B*, **63**, 041401-1-4 (2001).
71. Electronic Transition Energy E_{ii} for an Isolated (n, m) Single-Wall Carbon Nanotube Obtained by anti-Stokes/Stokes Resonant Raman Intensity Ratio: A. G. Souza Filho, A. Jorio, J. H. Hafner, C. M. Lieber, R. Saito, M. A. Pimenta, G. Dresselhaus and M. S. Dresselhaus, *Phys. Rev. B*, **63**, 241404-1-4 (2001).
72. Joint density of electronic states for one isolated single wall carbon nanotube studied by resonant Raman scattering: A. Jorio, A. G. Souza Filho, G. Dresselhaus, M. S. Dresselhaus, R. Saito, J. H. Hafner, C. M. Lieber, F. M. Matinaga, M. S. S. Dantas, and M. A. Pimenta, *Phys. Rev. B*, **63**, 245416-1-4 (2001).
73. Study of the radiative and nonradiative processes of rare earth implanted semiconductors at low temperatures: T. Kimura, H. Toda, T. Ishida, H. Isshiki, and R. Saito, *Nucl. Instr. and Meth. in Phys. Res. B*, **175-177**, 286-291 (2001).
74. Chirality Dependent G-band Raman Intensity of Carbon Nanotubes: R. Saito, A. Jorio, J. Hafner, C. M. Lieber, M. Hunter, T. McClure, G. Dresselhaus, and M. S. Dresselhaus, *Phys. Rev. B*, **64**, 085312-1-7 (2001).
75. Polarized Absorption Spectra of Single-Walled 4Å Carbon Nanotubs aligned in Channels of AlPO₄-5 Single Crystal: Z. M. Li, Z. K. Tang, H. J. Liu, N. Wang, C. T. Chan, R. Saito, S. Okada, G. D. Li, J. S. Chen, N. Nagasawa, and S. Tsuda, *Phys. Rev. Lett.*, **87**, 127401-1-4 (2001).
76. Theoretical analysis of the diffusive ion in biased plasma enhanced diamond chemical vapor deposition: R. Saito, J. Sano, N. Ishigaki, T. Kimura and S. Yugo, *J. Appl. Phys.*, **90**, 2559-2564 (2001).
77. Anomalous Potential Barrier of Double-Wall Carbon Nanotube: R. Saito, R. Matsuo, T. Kimura, G. Dresselhaus, and M. S. Dresselhaus, *Chem. Phys. Lett.*, **348**, 187-193 (2001).
78. Magnetoresistance of carbon nanotubes: from molecular to mesoscopic fingerprints: S. Roche and R. Saito, *Phys. Rev. Lett.*, **87**, 246803-1-4 (2001).
79. Effect of quantized electronic states on the dispersive Raman features in individual single wall carbon nanotubes: A. G. Souza Filho, A. Jorio, G. Dresselhaus, M. S. Dresselhaus, R. Saito, A. K. Swan, M. S. Ünlü, B. B. Goldberg, J. H. Hafner, C. M. Lieber, and M. A. Pimenta, *Phys. Rev. B*, **65**, 035404-1-6 (2001).
80. Probing phonon dispersion relations of graphite by double resonance Raman scattering: R. Saito, A. Jorio, A. G. Souza-Filho, G. Dresselhaus, M. S. Dresselhaus and M. A. Pimenta, *Phys. Rev. Lett.*, **88**, 027401-1-4 (2002).

81. Anomalous two-peak G' -band Raman in individual isolated single-wall carbon nanotubes: A. G. Souza Filho, A. Jorio, G. Dresselhaus, M. S. Dresselhaus, A. K. Swan, B. Goldberg, R. Saito, J. H. Hafner, C. M. Lieber, and M. A. Pimenta, *Phys. Rev. B*, **65**, 085417-1-7 (2002).
82. Raman studies on 0.4 nm diameter single wall carbon nanotubes: A. Jorio, A. G. Souza Filho, G. Dresselhaus, M. S. Dresselhaus, A. Righi, F. M. Matinaga, M. S. S. Dantas, M. A. Pimenta, Z. M. Li, Z. K. Tang and R. Saito, *Chem. Phys. Lett.*, **351**, 27-34 (2001).
83. Probing the electronic trigonal warping effect in individual single-wall carbon nanotubes using phonon spectra: A. G. Souza Filho, A. Jorio, Ge. G. Samsonidze, G. Dresselhaus, M. S. Dresselhaus, A. K. Swan, B. B. Goldberg, M. S. Ünlü, R. Saito, J. H. Hafner, C. M. Lieber and M. A. Pimenta, *Chem. Phys. Lett.*, **354**, 62-68 (2002).
84. G-band resonant Raman study of 62 isolated single-wall carbon nanotubes: A. Jorio, A. G. Souza-Filho, G. Dresselhaus, and M. S. Dresselhaus, A. K. Swan, M. S. Ünlü, B. Goldberg, M. A. Pimenta, J. H. Hafner, C. M. Lieber, R. Saito, *Phys. Rev. B*, **65**, 155412-1-9 (2002).
85. Polarized resonant Raman spectra on isolated single wall carbon nanotubes: A. Jorio, A. G. Souza-Filho, V. W. Brar, A. K. Swan, M. S. Ünlü, B. Goldberg, A. Righi, J. H. Hafner, R. Saito, G. Dresselhaus, and M. S. Dresselhaus, *Phys. Rev. B*, **65**, 121402(R)-1-4 (2002).
86. Determination of two dimensional phonon dispersion relation of graphite by Raman spectroscopy: A. Grüneis, R. Saito, T. Kimura, L. G. Cançado, M. A. Pimenta, A. Jorio, A. G. Souza Filho, G. Dresselhaus and M. S. Dresselhaus, *Phys. Rev. B*, **65**, 155405-1-7 (2002).
87. First and second-order resonance Raman process in graphite and single wall carbon nanotubes: R. Saito, A. Jorio, A. G. Souza Filho, G. Dresselhaus, M. S. Dresselhaus, A. Grüneis^a, L. G. Cançado, M. A. Pimenta, *Jpn. J. Appl. Phys.*, **41**, 4878-4882 (2002).
88. Stokes and anti-Stokes double resonance Raman scattering in two-dimensional graphite: L. G. Cançado, M. A. Pimenta, R. Saito, A. Grüneis, A. A. Jorio, A. G. Souza Filho, G. Dresselhaus and M. S. Dresselhaus, *Phys. Rev. B*, **66**, 035415-1-5 (2002).
89. Raman spectroscopy on isolated single wall carbon nanotubes: M. S. Dresselhaus, G. Dresselhaus, A. Jorio, A. G. Souza Filho, and R. Saito, *Carbon*, **40**, 2043-2061 (2002).
90. Raman spectroscopy on one isolated carbon nanotube: M. S. Dresselhaus, A. Jorio, A. G. Souza Filho, G. Dresselhaus, and R. Saito, *Physica B*, **323**, 15-20 (2002).
91. Dispersive Raman spectra observed in graphite and single wall carbon nanotubes: R. Saito, A. Jorio, A. G. Souza Filho, A. Grüneis, M. A. Pimenta, G. Dresselhaus, and M. S. Dresselhaus, *Physica B*, **323**, 100-106 (2002).
92. Characteristic Raman spectra of multiwalled carbon nanotubes: X. Zhao, Y. Ando, L.-C. Qin, H. Kataura, Y. Maniwa, and R. Saito, *Physica B*, **323**, 265-266 (2002).

93. Linewidth of the Raman features of individual single-wall carbon nanotubes: A. Jorio, C. Fantini, M. S. S. Dantas, M. A. Pimenta, A. G. Souza Filho, Ge. G. Samsonidze, V. W. Brar, G. Dresselhaus, M. S. Dresselhaus, A. K. Swan, M. S. Ünlü, B. B. Goldberg, and R. Saito, Phys. Rev. B, **66**, 115411-1-8 (2002).
94. Radial breathing modes of multiwalled carbon nanotubes: X. Zhao, Y. Ando, L-C. Qin, H. Kataura, Y. Maniwa, R. Saito, Chem. Phys. Lett., **361**, 169-174 (2002).
95. Multiple splitting of G-band modes from individual multiwalled carbon nanotubes: X. Zhao, Y. Ando, L-C. Qin, H. Kataura, Y. Maniwa, R. Saito, Appl. Phys. Lett., **81**, 2550-2552 (2002).
96. Second-order harmonic and combination modes in graphite, single wall carbon nanotube bundles, and isolated single wall carbon nanotubes: V. W. Brar, Ge. G. Samsonidze, M. S. Dresselhaus, G. Dresselhaus, R. Saito, A. K. Swan, M. S. Ünlü, B. B. Goldberg, A. G. Souza Filho, A. Jorio, Phys. Rev. B, **66**, 155418-1-10 (2002).
97. Raman spectroscopy of nanoscale carbons and of an isolated carbon nanotube,: M. S. Dresselhaus, A. Jorio, A.G. Souza Filho, G. Dresselhaus, R. Saito and M. A. Pimenta, Liq. Crys. Mol. Crys., **387**, 245-253 (2002).
98. Double resonance Raman spectra in disordered graphite and single wall carbon nanotubes: R. Saito, A. Grueneis, L. G. Cancado, M. A. Pimenta, A. Jorio, A. G. Souza Filho, G. Dresselhaus and M. S. Dresselhaus, Liq. Crys. Mol. Crys., **387**, 287-296 (2002).
99. Single Nanotube Raman Spectroscopy: M. S. Dresselhaus, G. Dresselhaus, A. Jorio, A. G. Souza Filho and R. Saito, Accounts of Chemical Research, **35**, 1070-1078 (2002).
100. Resonance Raman scattering: non-destructive and non-invasive technique for structural and electronic characterization of isolated single wall carbon nanotubes: A. Jorio, F. M. Matinaga, A. Righi, M. S. S. Dantas, M. A. Pimenta, A. G. Souza Filho, J. Mendes Filho, J. H. Hafner, C. M. Lieber, R. Saito, G. Dresselhaus and M. S. Dresselhaus, Brazilian J. Phys., **32**, 921-924 (2002).
101. Nanowires and Nanotubes: M. S. Dresselhaus, Y.-M. Lin, O. Rabin, A. Jorio, A. G. Souza Filho, M. A. Pimenta, R. Saito, Ge. G. Samsonidze and G. Dresselhaus, Mater. Sci. Eng. C, **23**, 129-140 (2003).
102. Competing spring constant versus double resonance effects on the properties of dispersive modes in isolated single-wall nanotubes: A. G. Souza Filho, A. Jorio, Ge. G. Samsonidze, G. Dresselhaus, M. A. Pimenta, M. S. Dresselhaus, A. K. Swan, M. S. Ünlü, B. B. Goldberg, R. Saito, Phys. Rev. B, **67**, 035427-1-7 (2003).
103. Raman spectra of lithium doped single-walled 0.4nm carbon nanotubes: J. T. Ye, Z. M. Li, Z. K. Tang and R. Saito, Phys. Rev. B, **67**, 113404 (2003).
104. Phonon trigonal warping effect in graphite and carbon nanotubes: Ge. G. Samsonidze, R. Saito, A. Jorio, A. G. Souza Filho, A. Grueneis, M. A. Pimenta, G. Dresselhaus, M. S. Dresselhaus, Phys. Rev. Lett, **90**, 027403-1-4 (2003).

105. Resonance Raman Spectra of Carbon Nanotubes by Cross-Polarized Light: A. Jorio, M. A. Pimenta, A. G. Souza Filho, Ge. G. Samsonidze, A. K. Swan, M. S. Ünlü, B. B. Goldberg, R. Saito, G. Dresselhaus, M. S. Dresselhaus, *Phys. Rev. Lett*, **90**, 107403-1-4 (2003).
106. Inhomogeneous optical absorption around the K point in graphite and carbon nanotubes: A. Grüneis, R. Saito, Ge. G. Samsonidze, T. Kimura, M. A. Pimenta, A. Jorio, A. G. Souza Filho, G. Dresselhaus, M. S. Dresselhaus, *Phys. Rev. B*, **67**, 165402-1-7 (2003).
107. Resonance Raman scattering on one-dimensional systems: M. S. Dresselhaus, G. Dresselhaus, A. M. Rao, A. Jorio, A. G. Souza Filho, Ge. G. Samsonidze, R. Saito, *Indian Journal of Physics*, **77B**, 75-99 (2003).
108. Optical characterization of Er-implanted ZnO films formed by sol-gel method: T. Fukudome, A. Kaminaka, H. Isshiki, R. Saito, S. Yugo, T. Kimura, *Nucl. Instr. and Meth. in Phys. Res. B*, **206**, 287-290 (2003).
109. Science and Applications of Single Nanotube Raman Spectroscopy: M. S. Dresselhaus, G. Dresselhaus, A. Jorio, A. G. Souza Filho, Ge. G. Samsonidze, R. Saito, *J. Nanoscience and Nanotechnology*, **3**, 19-37 (2003).
110. Raman spectroscopy for probing chemically/physically induced-phenomena in carbon nanotubes: A. G. Souza Filho, A. Jorio, Ge. G. Samsonidze, G. Dresselhaus, R. Saito, M. S. Dresselhaus, *Nanotechnology*, **14**, 1130-1139 (2003).
111. Characterizing carbon nanotube samples with resonance Raman scattering: A. Jorio, M. A. Pimenta, A. G. Souza Filho, R. Saito, G. Dresselhaus, M. S. Dresselhaus, *New J. Phys.*, **5**, 139.1-17 (2003).
112. Double resonance Raman spectroscopy of single wall carbon nanotubes: R. Saito, A. Grüneis, Ge. G. Samsonidze, V. W. Brar, G. Dresselhaus, M. S. Dresselhaus, A. Jorio, L. G. Cançado, C. Fantini, M. A. Pimenta, A. G. Souza Filho, *New J. Phys.*, **5**, 157.1-157.15 (2003).
113. The concept of cutting lines in carbon nanotube science: Ge. G. Sasonidze, R. Saito, A. Jorio, M. A. Pimenta, A. G. Souza Filho, and A. Grüneis, G. Dresselhaus, M. S. Dresselhaus, *J. Nanoscience Nanotechnology*, **3**, 431-458 (2003).
114. Aharonov-Bohm effect in higher genus materials: K. Sasaki, Y. Kawazoe, R. Saito, *Phys. Lett. A*, **321**, 369-375 (2004).
115. Optical absorption of graphite and single wall carbon nanotubes: R. Saito, A. Grüneis, Ge. G. Samsonidze, G. Dresselhaus, M. S. Dresselhaus, A. Jorio, L. G. Cançado, M. A. Pimenta, A. G. Souza Filho, *Appl. Phys. A*, **78**, 1099-1105 (2004).
116. Resonance Raman spectra of carbon nanotube bundles observed by perpendicular polarized light: A. Grüneis, R. Saito, J. Jiang, Ge. G. Samsonidze, M. A. Pimenta, A. Jorio, A. G. Souza Filho, G. Dresselhaus, M. S. Dresselhaus, *Chem. Phys. Lett.*, **387**, 301-306 (2004).
117. Carbon Nanotube Photophysics: A. Jorio, R. Saito, T. Hertel, R. B. Weisman, G. Dresselhaus, M. S. Dresselhaus, *Bulletin of Materials Science*, **29**, 276-280 (2004).

118. Stokes and anti-Stokes Raman spectra of small diameter isolated carbon nanotubes: A. G. Souza Filho, S. G. Chou, Ge. G. Samsonidze, G. Dresselhaus, M. S. Dresselhaus, L. An, J. Liu, A. K. Swan, M. S. Ünlü, B. B. Goldberg, A. Jorio, A. Grüeneis, R. Saito, Phys. Rev. B, **69**, 115428-1-8 (2004).
119. Interband optical transitions in left and right handed single wall carbon nanotubes: Ge. G. Samsonidze, A. Grüeneis, R. Saito, A. Jorio, M. A. Pimenta, A. G. Souza Filho, G. Dresselhaus, M. S. Dresselhaus, Phys. Rev. B, **69**, 205402-1-11 (2004).
120. Advances in single nanotube spectroscopy: Raman spectra from cross-polarized light and chirality dependence of Raman frequencies: A. Jorio, M. A. Pimenta, C. Fantini, M. Souza, A. G. Souza Filho, Ge. G. Samsonidze, G. Dresselhaus, M. S. Dresselhaus, R. Saito, Carbon, **42**, 1067-1069 (2004).
121. Fractional flux periodicity in tori made of square lattice: K. Sasaki, Y. Kawazoe, R. Saito, Prog. Theor. Phys., **111**, 763-780 (2004).
122. Electron-phonon interaction and relaxation time in graphite: J. Jiang, R. Saito, A. Grüeneis, G. Dresselhaus, M. S. Dresselhaus, Chem. Phys. Lett., **392**, 383-389 (2004).
123. Anisotropy in the Raman spectra of nanographite ribbons: L. G. Cançado, M. A. Pimenta, A. Jorio, R. A. Neves, G. Medeiros-Ribeiro, T. Enoki, Y. Kobayashi, K. Takai, K. Fukui, M. S. Dresselhaus, R. Saito, Phys. Rev. Lett., **93**, 047403-1-4 (2004).
124. One-dimensional character of combination modes in the resonance Raman scattering of carbon nanotubes: C. Fantini, A. Jorio, M. Souza, L. O. Ladeira, M. A. Pimenta, A. G. Souza Filho, R. Saito, Ge. G. Samsonidze, G. Dresselhaus, M. S. Dresselhaus, Phys. Rev. Lett., **93**, 087401-1-4 (2004).
125. Single and double resonance Raman G-band processes in carbon nanotubes: M. Souza, A. Jorio, C. Fantini, B. R. A. Neves, M. A. Pimenta, R. Saito, A. Ismach, E. Joselevich, V. W. Brar, Ge. G. Samsonidze, G. Dresselhaus, M. S. Dresselhaus, Phys. Rev. B, **69**, 241403-1-4 (2004).
126. Ground-state periodicity of a planar square lattice: K. Sasaki, Y. Kawazoe, R. Saito, Phys. Lett. A, **329**, 148-154 (2004).
127. Optical absorption matrix element in single-wall carbon nanotubes: J. Jiang, R. Saito, A. Grüeneis, G. Dresselhaus, M. S. Dresselhaus, Carbon, **42**, 3169-3176 (2004).
128. Optical characterization of DNA wrapped Carbon Nanotube Hybrids: G. S. Chou, H. B. Ribeiro, E. Barros, A. P. Santos, D. Nazich, Ge. G. Samsonidze, C. Fantini, M. A. Pimenta, A. Jorio, F. Plentz Filho, M. S. Dresselhaus, G. Dresselhaus, R. Saito, M. Zheng, G. B. Onoa, E. D. Semke, A. K. Swan, M. S. Ünlü, B. B. Goldberg, Chem. Phys. Lett., **397**, 296-301 (2004).
129. Re-parameterization Invariance in Fractional Flux Periodicity: S. Murakami, K. Sasaki, R. Saito, J. Phys. Soc. Japan, **73**, 3231-3234 (2004).

130. Family behavior of the optical transition energies in single-wall carbon nanotubes of smaller diameters: Ge. G. Samsonidze, R. Saito, N. Kobayashi, A. Grüneis, J. Jiang, A. Jorio, S. G. Chou, G. Dresselhaus, M. S. Dresselhaus, *Appl. Phys. Lett.*, **85**, 5703-5705 (2004).
131. Fractional Flux Periodicity in doped carbon nanotubes: K. Sasaki, S. Murakami, R. Saito, *Phys. Rev. B*, **70**, 233406-1-4 (2004).
132. Determination of nanotubes properties by Raman spectroscopy: A. Jorio, R. Saito, G. Dresselhaus, M. S. Dresselhaus, *Phil. Trans. R. Soc. Lond. A*, **362**, 2311-2336 (2004).
133. Photoexcited electron relaxation processes in single wall carbon nanotubes: J. Jiang, R. Saito, A. Grüneis, S. G. Chou, Ge. G. Samsonidze, A. Jorio, G. Dresselhaus, and M. S. Dresselhaus, *Phys. Rev. B*, **71**, 045417-1-9 (2005).
134. (n,m) dependent effects on the Resonance Raman Spectroscopy for small diameter single-wall carbon nanotubes: A. Jorio, C. Fantini, M.A. Pimenta, R.B. Capaz, Ge. G. Samsonidze, G. Dresselhaus, M. S. Dresselhaus, J. Jiang, N. Kobayashi, A. Grüneis, R. Saito, *Phys. Rev. B*, **71**, 075401-1-11 (2005).
135. Origin of 2450cm^{-1} Raman bands in HOPG, single-wall and double-wall carbon nanotubes: T. Shimada, T. Sugai, C. Fantini, M. Souza, L. G. Cançado, A. Jorio, M. A. Pimenta, R. Saito, A. Grüneis, G. Dresselhaus, M. S. Dresselhaus, Y. Ohno, T. Mizutani, H. Shinohara, *Carbon*, **43**, 1049-1054 (2005).
136. Raman Spectroscopy of Carbon Nanotubes: M. S. Dresselhaus, G. Dresselhaus, R. Saito, A. Jorio, *Physics Reports*, **409**, 47-99 (2005).
137. Phonon-assisted excitonic recombination channels observed in DNA-wrapped carbon nanotubes using Photoluminescence spectroscopy: S. G. Chou, F. Plentz Filho, J. Jiang, R. Saito, D. Nezich, H. B. Ribeiro, A. Jorio, M. A. Pimenta, Ge. G. Samsonidze, A. P. Santos, M. Zheng, G. B. Onoa, E. D. Semke, G. Dresselhaus, M. S. Dresselhaus, *Phys. Rev. Lett.*, **94**, 127402-1-4 (2005).
138. Local energy gap in deformed carbon nanotubes: K. Sasaki, Y. Kawazoe, R. Saito, *Prog. Theor. Phys.*, **113**, 463-480 (2005).
139. Controlling edge states of zigzag carbon nanotubes by the Aharonov-Bohm flux: K. Sasaki, S. Murakami, R. Saito, Y. Kawazoe, *Phys. Rev. B*, **71**, 195401-1-5 (2005).
140. Intensity of the resonance Raman excitation spectra of single-wall carbon nanotubes: J. Jiang, R. Saito, A. Gruneis, S. G. Chou, Ge. G. Samsonidze, A. Jorio, G. Dresselhaus and M. S. Dresselhaus, *Phys. Rev. B*, **71**, 205420-1-13 (2005).
141. Large-scale separation of metallic and semiconducting single-wall carbon nanotubes: Y. Maeda, S. Kimura, M. Kanda, Y. Hirashima, T. Hasegawa, T. Wakahara, Y. Lian, T. Nakahodo, T. Tsuchiya, T. Akasaka, J. Lu, S. Nagase, S. Kazaoui, N. Minami, T. Shimizu, H. Tokumoto, R. Saito, *J. Amer. Chem. Soc.*, **127**, 10287-10290 (2005).

142. Recent Advances in Carbon Nanotube Photophysics: M. S. Dresselhaus, Ge. G. Samsonidze, S. G. Chou, G. Dresselhaus, J. Jiang, R. Saito, A. Jorio, *Physica E*, **29**, 443-446 (2005).
143. Quantum Decoherence in carbon nanotubes due to electron-phonon coupling: S. Roche, J. Jiang, F. Triozon, R. Saito, *Phys. Rev. Lett*, **95**, 076803-1-4 (2005).
144. Quantifying carbon nanotube species with resonance Raman scattering: A. Jorio, A. P. Santos, H. B. Ribeiro, C. Fantini, M. Souza, J. P. M. Viera, C. A. Furutado, J. Jiang, R. Saito, L. Balzano, D. E. Resasco, M. A. Pimenta, *Phys. Rev. B*, **72**, 075207-1-5 (2005).
145. Step-like dispersion of the intermediate frequency Raman modes in semiconducting and metallic carbon nanotubes: C. Fantini, A. Jorio, M. Souza, R. Saito, Ge. G. Samsonidze, M. S. Dresselhaus, and M. A. Pimenta, *Phys. Rev. B*, **72**, 085446-1-5 (2005).
146. Conductance and Coherence Lengths in Disordered Carbon Nanotubes : Role of Lattice Defects and Phonon Vibrations: S. Roche, J. Jiang, F. Triozon, R. Saito, *Phys. Rev. B*, **72**, 113410-1-4 (2005).
147. Infrared-active Vibrational Modes of Single-Walled Carbon Nanotubes: U. J. Kim, X. M. Liu, C. A. Furtado, G. Chen, R. Saito, J. Jiang, M. S. Dresselhaus, P. C. Eklund, *Phys. Rev. Lett.*, **95**, 157402-1-4 (2005).
148. Cutting lines near the Fermi energy of single wall carbon nanotubes: R. Saito, K. Sato, Y. Oyama, J. Jiang, Ge. G. Samsonidze, G. Dresselhaus, M. S. Dresselhaus, *Phys. Rev. B*, **72**, 153413-1-4 (2005).
149. A study of phonon-assisted exciton relaxation dynamics for a (6,5) enriched DNA-wrapped single walled carbon nanotube sample: S. G. Chou, M. F. DeCamp, J. Jiang, Ge. G. Samsonidze, E. B. Barros, F. Plentz Filho, A. Jorio, M. Zheng, G. B. Onoa, E. D. Semke, A. Tokmakoff, R. Saito, G. Dresselhaus, M. S. Dresselhaus, *Phys. Rev. B*, **72**, 195415 (2005).
150. Strain-induced quantum interference effects on the resonant Raman cross section of carbon nanotubes: A. G. Souza Filho, N. Kobayashi, J. Jiang, A. Gruneis, R. Saito, S. B. Cronin, J. Mendes Filho, Ge. G. Samsonidze, G. Dresselhaus, M. S. Dresselhaus, *Phys. Rev. Lett.*, **95**, 217403-1-4 (2005).
151. Dual Raman features of double coaxial carbon nanotubes with N-doped and B-doped multi-walls: Q. H. Yang, P. X. Hou, M. Unno, S. Yamauchi, R. Saito, T. Kyotani, *Nano Letters*, **5**, 2465-2469 (2005).
152. Photoluminescence intensity of single-wall carbon nanotubes: Y. Oyama, R. Saito, K. Sato, J. Jiang, Ge. G. Samsonidze, A. Gruneis, Y. Miyauchi, S. Maruyama, G. Dresselhaus, M. S. Dresselhaus, *Carbon*, **in press**, ().
153. Electron-phonon matrix elements in single-wall carbon nanotubes: J. Jiang, R. Saito, Ge. G. Samsonidze, S. G. Chou, A. Jorio, G. Dresselhaus and M. S. Dresselhaus, *Phys. Rev.*, **in press**, ().

154. Photoluminescence and population analysis of single walled carbon nanotubes produced by CVD and pulsed-laser vaporization methods: T. Okazaki, T. Saito, K. Matsuura, S. Ohshima, M. Yumura, Y. Oyama R. Saito, S. Iijima, J Phys Chem B , **in press**, () .

III Thesis

Vibronic States in Linear Conjugated Systems, Tokyo University (1982) (Master)

Orbital Susceptibility of Graphite Intercalation Compounds, Tokyo University (1984).(Dr. Sc.)

This novel will not only transform your English, but your life; it's currently my favorite book. It's beautifully written and the Penguin edition ensures that even relative beginners get a good grasp of the story and the meaning it conveys. If you're curious about spiritual matters, this is your pick. Maybe not what you expected as the 10th, but it's the very first book I read in English, so it has a special place in my heart. And I'd wholeheartedly recommend it to any English learner: It offers up an entertaining story, and the English is easy and simple enough. Don't judge a book by its movie. Tags: Language learning, English, Books. Learn English abroad with us [Learn More](#). We'd love to stay in touch. Get the latest on travel, languages and culture with our newsletter. Remember you cannot learn swimming only by reading books about it, you have to practice. Sure reading would help to know about Swimming but it would not help you reach other end of swimming pool. Similar ... So the answer to your question is simple: you will not be able to learn speaking in English by reading novels only. Reading should be a later step to enhance knowledge. Once you have enhanced your speaking skills, you do need a good vocabulary store for better communication of ideas.